



50th Anniversary of Electrical Engineering

Kasetsart University

&

10th International Conference on Information and
Communication Technology for Embedded Systems

(IC-ICTES)

Abstract Book

March 25-27, 2019

Kasetsart University, Bangkok, THAILAND

CFP19B05-USB

ISBN 978-1-7281-1920-5




**The 2019 International Conference on Information and
Communication Technology for Embedded Systems (IC-ICTES 2019)**

Abstracts

March 25-27, 2019

Kasetsart University, Bangkok, THAILAND

Organized by

*Kasetsart University
Sirindhorn International Institute of Technology, Thammasat University
National Electronics and Computer Technology Center, NSTDA
Tokyo Institute of Technology*

Technical Sponsors

IEEE Thailand Section

Organizing Committee

Honorary Chairs

Vudtechai Kapilakanchana, *President of Kasetsart Univ, Thailand*
Akinori Nishihara, *Tokyo Inst Tech, Japan*
Somkit Lertpaithoon, *Rector of Thammasat Univ, Thailand*
Pansak Siriruchatapong, *Adviser of Nat'l Electronics & Computer Tech Center, Thailand*

General Chairs

Omjai Saimek, *Deputy Director of Nat'l Electronics & Computer Tech Center, Thailand*
Manabu Okumura, *Tokyo Inst of Tech, Japan*
Peerayuth Charnsethikul, *Kasetsart University*
Somnuk Tangtermsirikul, *SIIT Thammasat Univ, Thailand*

Technical Program Chairs

Nobuhiko Sugino, *Tokyo Inst of Tech, Japan*
Wiroonsak Santipach, *Kasetsart Univ, Thailand*
Usana Tuntoolavest, *Kasetsart Univ, Thailand*
Siriroj Sirisukprasert, *Kasetsart Univ, Thailand*
Thanaruk Teeramunkong, *SIIT Thammasat Univ, Thailand*
Teera Phatrapornnat, *Nat'l Electronics & Computer Tech Center, Thailand*
Kamol Kaemarungsi, *Nat'l Electronics & Computer Tech Center, Thailand*

Finance Chairs

Chowarit Mitsantisuk, *Kasetsart Univ, Thailand*
Gun Srijuntongsiri, *SIIT, Thammasat Univ, Thailand*

International Advisory

Akinori Nishihara, *Tokyo Inst Tech, Japan*
Tsuyoshi Isshiki, *Tokyo Inst Tech, Japan*
Jun Takamatsu, *Nara Inst Tech, Japan*
Ikuhisa Mitsugami, *Hiroshima City Univ, Japan*
Sanghoon Kim, *Hankyong National Univ, South Korea*

Local Arrangement Chairs

Teerasit Kasetkasem, *Kasetsart Univ, Thailand*
Miti Ruchanurucks, *Kasetsart Univ, Thailand*

Publicity Chairs

Pisut Raphisak, *Kasetsart Univ, Thailand*
Kamol Kaemarungsi, *Nat'l Electronics & Computer Tech Center, Thailand*
Waree Kongprawechnon, *SIIT Thammasat Univ, Thailand*

Publication Chairs

Achara Pichetjamroen, *Kasetsart Univ, Thailand*
Denchai Worasawate, *Kasetsart Univ, Thailand*
Toshiaki Kondo, *SIIT Thammasat Univ, Thailand*

General Secretaries

Dusit Thanapatay, *Kasetsart Univ, Thailand*

❧ Reviewer List ❧

We would like to express our sincere gratitude to the following individuals and anonymous reviewers for their efforts in the reviewing process of IC-ICTES2019

Athikulwongse, Krit	Raphisak, Pisut
Bunnun, Pished	Ruchanurucks, Miti
Ekkachai, Kittipong	Sanposh, Peerayot
Isshiki, Tsuyoshi	Santipach, Wiroonsak
Kaemarungsi, Kamol	Sinthanayothin, Chanjira
Kasetkasem, Teerasit	Sirisukprasert, Siriroj
Kingkan, Cherdsak	Srisonphan, Siwapon
Kovavisaruch, La-Or	Sugino, Nobuhiko
Kudtongngam, Jasada	Suwatthikul, Jittiwut
Kwankeo, Natavut	Thainimit, Somying
Leelasawassuk, Teesid	Thajchayapong, Suttipong
Limmanee, Amornrat	Theeramunkong, Thanaruk
Marukatat, Sanparith	Tuntoolavest, Usana
Phaisangittisagul, Ekachai	Vorakulpipat, Chalee
Phatrapornnat, Teera	Worasawate, Denchai
Plangprasopchok, Anon	
Rakthanmanon, Thanawin	

❧ **CONFERENCE AT-A-GLANCE** ❧

Time	Events
	Monday, March 25, 2019 (IUP Auditorium)
13:00-14:15	Opening Ceremony & Electrical Engineering Exhibition
14:15-14:30	Coffee Break
14:30-15:30	Keynote Speech 1 (Prof. Shinji Hara)
15:30-16:15	Poster session
	Tuesday, March 26, 2019 (KU Home : Nontri 3)
9:00-10:20	Session 1 (4) Communication System and Information Technology
10:20-10:40	Coffee Break
10:40-12:00	Session 2 (4) Signal Processing, Image Processing and Sensors
12:00 -13:00	Lunch
13:00-13:45	Invited Talk 1 (Dr. Apichart Intarapanich)
13:45-14:30	Invited Talk 2 (Assoc.Prof. Vutipong Areekul)
14:30-14:50	Coffee Break
14:50-16:10	Session 3 (4) Embedded System Applications and Emerging New Topics
18:00-21:00	Banquet
	Wednesday, March 27, 2019 (KU Home : Nontri 3)
9.00-10:00	Session 4 (3) Short Paper
10:00-10:15	Coffee Break
10:15-11:00	Invited Talk 3 (Dr.Kihoko Tokue, Leave a Nest Singapore CEO)
11.00-12.00	Keynote Speech 2 (Prof.Tsuyoshi Isshiki)
12:00-13:00	Lunch



Message from General Chair

On behalf of the Organizing Committee, I would like to extend our warmest welcome to the 10th International Conference on Information and Communication Technology for Embedded Systems (IC-ICTES 2019) at Kasetsart University, Bangkok, Thailand. Since the university is a green area in Bangkok, place to exchange our technical views on ICT with particular focus on embedded systems applications, by escaping from the din and bustle of downtown.

In this conference, excellent papers from many authors have been submitted. In addition, we could invite a number of distinguished keynote and invited speakers, which makes our conference more valuable. I would like to thank all the presenters that have contributed to this conference.

IC-ICTES is jointly organized by the key members working in the field of ICTES from Kasetsart University, National Electronics and Computer Technology Center, Sirindhorn International Institute of Technology, and Tokyo Institute of Technology. Without their dedication and hard work, the success of this international conference has never been achieved. I sincerely hope that all of you enjoy this remarkable event in this wonderful atmosphere.



Manabu Okumura
Tokyo Institute of Technology



Omjai Saimek
National Science and Technology Development Agency



Peerayuth Charnsethikul
Kasetsart University



Message from Technical Program Chair & Publicity Chair

It is my great pleasure to welcome you to the 2019 International Conference on Information and Communication Technology for Embedded Systems (IC-ICTES 2019), being held March 25-27, 2019 in Bangkok, Thailand. I urge you to attend and actively participate in the conference.

For this year conference (IC-ICTES 2019), the Technical Program Chairs and many reviewers have worked very hard in the process of peer review and paper selection to accept papers in the program due to their high professional quality. Each and every paper receives up to five feedbacks. Consequently, the conference program consists of three regular sessions, a short paper session, a poster session, and a private sector funding session. This conference promises to be an inspiring and insightful experience containing a breadth of information on its theme.

I express my gratitude to the members of the Technical Program Committee who voluntarily invest their own time producing a program that provides a wealth of technical information regarding embedded systems and their applications.



Nobuhiko Sugino (TPC)
Tokyo Institute of Technology



Pisut Raphisak (TPC)
Kasetsart University



Siriroj Sirisukprasert (TPC)
Kasetsart University



Usana Tuntoolavest (TPC)
Kasetsart University

❧ Table of Contents ❧

Session 1 : Communication Systems and Information Technology	1
1.1 Exploiting Extra CPU Cores to Detect NOP Sleds Using Sandboxed Execution	
1.2 Fuzziness Detection in the Thai Law Texts Using Deep Learning	
1.3 ROS Based mobile robot pose planning for a good view onboard camera using costmap	
1.4 Multi Q-table Q-learning	
Session 2 : Signal Processing, Image Processing and Sensors	3
2.1 Defect Segmentation of Hot-rolled Steel Strip Surface by using Convolutional Auto-Encoder and Conventional Image processing	
2.2 Multi-objects detection and classification using Vision Builder for autonomous assembly	
2.3 Target Advertising Classification using Combination of Deep Learning and Text model	
2.4 On Building Detection using the Class Activation Map: Case Study on a LANDSAT8 Image	
Session 3 : Embedded System Applications & Emerging New Topics	5
3.1 Food categories classification and Ingredients estimation using CNNs on Raspberry Pi 3	
3.2 Indoor Room Identify and Mapping with Virtual based SLAM using Furnitures and Household Objects Relationship based on CNNs	
3.3 A Multi-Protocol IoT Gateway and WiFi/BLE Sensor Nodes for Smart Home and Building Automation: Design and Implementation	
3.4 Simplified Stream Discharge Estimation for Hydrological Application based on NB-IoT Deployment	
Session 4 : Short papers	7
4.1 Short Term Prediction of Sun Coverage Using Optical Flow with CNN	
4.2 ON THE USE OF MACHINE LEARNING FOR CROP PLANNING	
4.3 PIPELINE SEGMENTATION USING LEVEL-SET METHOD	

1.1 Exploiting Extra CPU Cores to Detect NOP Sleds Using Sandboxed Execution

Authors:

Nopphon Phringmongkol¹, Paruj Ratanaworabhan²

Affiliation:

Faculty of Engineering, Kasetsart University¹; Faculty of Engineering, Kasetsart University²

E-mail:

nopphon.phr@gmail.com¹, paruj.r@ku.ac.th²

Abstract:

At present, antivirus software backed by database of virus signatures is the most popular solution to malware detection problem. Even though its shortfalls are well-known – it requires large database that needs to be updated constantly and it is vulnerable to zero-day exploit - the security community has not successfully come up with better alternatives to it. However, the advent of multicores allows us to revisit this problem and look for alternatives that were deemed inefficient with previous generations of hardware.

1.2 Fuzziness Detection in Thai Law Texts Using Deep Learning

Authors:

Chatchawal Sangkeetrakarn¹, Choochart Haruechaiyasak², Thanaruk Theeramunkong³

Affiliation:

Sirindhorn International Institute of Technology Thammasat University¹; Sirindhorn International Institute of Technology Thammasat University²; National Electronics and Computer Technology Center National Science and Technology Development Agency³

E-mail:

chatchawal.san@nectec.or.th¹, thanaruk@siit.tu.ac.th², choochart.har@nectec.or.th³

Abstract:

Machine understanding research aims to build machine intelligences. To make a machine understand, precise concepts are necessary. Numerous domains contain vague meanings when making decisions, such as a diagnosis or a legal interpretation. Once an artificial intelligence pretends to be human while dealing with imprecise data, a fuzziness in knowledges must be detected before constructing.

1.3 ROS-Based Mobile Robot Pose Planning for a Good View of an Onboard Camera using Costmap

Authors:

Sukkpranhachai Gatesichapakorn¹, Pished Bunnun², Tsuyoshi Isshiki³

Affiliation:

Faculty of Engineering Kasetsart University¹; NECTEC²; Engineering, Tokyo Institute of Technology³

E-mail:

chatchawal.san@nectec.or.th¹, thanaruk@siit.tu.ac.th², choochart.har@nectec.or.th³

Abstract:

This paper presents a pose planning method for ROS-based mobile robot equipped with an onboard computer. The system aims for archiving a remote 3D reconstruction using an onboard RGB-D camera and mobile robots autonomously. To plan a robot pose with a good view point for fixed position of an onboard camera configuration is a task we are addressing in this work. The proposed method is just a part of our system to find a good view point before performing 3D reconstruction tasks. Such system is suitable for a low-power onboard computer in cooperating with a remote server to support for rich computational tasks. A low bandwidth data stream between the onboard computer and the server is used most of time while a high bandwidth data will just be used when needed. Our method uses basic triangulation and transformation to find a good view point based on reference surface points. Reference surface points are extracted by using a cost value from ROS costmap data. The method is implemented and tested in a simulation software and realizing ROS environment. Outcomes with output from camera and visualization software are observed and evaluated.

1.4 Multi Q-Table Q-Learning

Authors:

Nitchakun Kantasewi¹, Sanparith Marukatat², Somying Thainimit³, Okumura Manabu⁴

Affiliation:

Faculty of Engineering Kasetsart University¹; National Electronics and Computer Technology Center²; Faculty of

Engineering Kasetsart University³; Engineering, Tokyo Institute of Technology⁴

E-mail:

nitchakun.k@ku.ac.th¹, Sanparith.Marukatat@nectec.or.th², fengsynt@ku.ac.th³, oku@lr.pi.titech.ac.jp⁴

Abstract:

Q-learning is a popular reinforcement learning technique for solving shortest path (STP) problem. In a maze with multiple sub-tasks such as collecting treasures and avoiding traps, it has been observed that the Q-learning converges to the optimal path. However, the sum of obtained rewards along the path in average is moderate. This paper proposes Multi-Q-Table Q-learning to address a problem of low average sum of rewards. The proposed method constructs a new Q-table whenever a sub-goal is reached. This modification let an agent to learn that the sub-reward is already collect and it can be obtained only once. Our experimental results show that a modified algorithm can achieve an optimal answer to collect all treasures (positive rewards), avoid pit and reach goal with the shortest path. With a small size of maze, the proposed algorithm uses the larger amount of time to achieved optimal solution compared to the conventional Q-learning.

2.1 Defect Segmentation of Hot-rolled Steel Strip Surface by using Convolutional Auto-Encoder and Conventional Image processing

Authors:

Sanyapong Youkachen¹, Miti Ruchanurucks², Teera Phatrapornnant³, Hirohiko Kaneko⁴

Affiliation:

Faculty of Engineering Kasetsart University¹; Faculty of Engineering Kasetsart University²; National Electronics and Computer Technology Center National Science and Technology Development Agency³; Engineering, Tokyo Institute of Technology⁴

E-mail:

sanyapong.y@ku.th¹, miti.r@ku.th², teera.phatrapornnant@nectec.or.th³, kaneko.h.ab@m.titech.ac.jp⁴

Abstract:

Defects on steel strip surface can long-term cause undesirable effects, since they make physical and/or chemical properties mismatched from steel's specification. Nowadays, automatic visual-based surface inspection is adopted, in order to detect the defects on steel strip surface after being produced. Moreover, since these defects appear in wide variety of forms and various classes, machine learning methods are generally involved to visual surface inspection for coping with these appearances. In this paper, we present a novel defect detection model to perform defect segmentation of hot-rolled steel strip surface, by using convolutional Auto-Encoder (CAE) and sharpening process to extract the defect features of input image, then applied postprocessing for visualization. In the experiments, the NEU database, which provides six kinds of typical surfaced effects of hot-rolled steel strip, was applied to evaluate the efficiency of the proposed model. This database also provides difficulty challenges regarding diversity of intra-class and similarity of inter-class. The results show that the proposed model can perform defect segmentation in all kinds of defects in database, however the efficiency was compromised by illumination changes. Notable that, this segmentation is based on unsupervised learning with small training dataset and no labeling procedure, so it can be easily extended to the real world application. Eventually, this defect detect on shall improve the productivity and reliability of steel strip's production process.

2.2 Multi-objects detection and classification using Vision Builder for autonomous assembly

Authors:

Pattaraporn Taptimtong¹, Chowarit Mitsantisuk², Kanyakorn Sripattanaon³, Chayanit Duangkaew⁴

Affiliation:

Faculty of Engineering Kasetsart University¹; Faculty of Engineering Kasetsart University²; Faculty of Engineering Kasetsart University³; Faculty of Engineering Kasetsart University⁴

E-mail:

pattaraporn.tap@ku.ac.th¹, fengerm@ku.ac.th², Kanyakornpod@gmail.com³, Chayanit.dua@hotmail.com⁴

Abstract:

In this paper, we proposed the methods of object detection and object classification to obtain the location information of each objects on the placement mat through the state diagram process using Vision Builder for Automated inspection (AI). By using the state diagram design detect and classify object on placement mat found that the state diagram can detect and classify almost it objects, both objects with similar surface pattern and objects with similar size. The location of the objects data can be detected and classified have the accuracy is about ± 0.5 millimeter. And after using this object's location data with the automation system, it was found that the robot moved to the position of the object correctly and was able to pick the object for assembly.

2.3 Target Advertising Classification using Combination of Deep Learning and Text model

Authors:

E. Phaisangittisagul¹, Y. Koobkrabee², K. Wirojborisuth³, T. Ratanasrimetha⁴, S. Aummaro⁵

Affiliation:

Faculty of Engineering Kasetsart University¹; Faculty of Engineering Kasetsart University²; Faculty of Engineering Kasetsart University³; Faculty of Engineering Kasetsart University⁴; Faculty of Engineering Kasetsart University⁵

E-mail:

fengecp@ku.ac.th¹, yoolaiabee.k@ku.ac.th², kasin.w@ku.th³, thanakorn.ra@ku.th⁴, suriya.am@ku.th⁵

Abstract:

In recent years, there has been a great interest in online advertising not only to promote products and services but to build a brand of the company as well. To satisfy customer needs, some businesses apply intelligent technology to advertise their products and services based on customer interests. Other advertisers allow customers or members to upload their promotions using image and/or message to advertise their businesses and services. However, filtering of promotional advertising is an essential part to detect improper information before posting on the websites and social media. As a result, a model to classify promotional advertising is proposed to identify whether relevant promotion content for a specific business or service in order to meet precise customers' attention. The proposed algorithm in this study based on deep learning is designed to handle promotional image and message in competition with the 2nd KU Data Science Boot Camp 2018. Its performance is evaluated on the promotional advertising data provided by Wongnai. Finally, the accuracy of the proposed method can achieve satisfactory performance of 82.95% in testing data.

2.4 ON BUILDING DETECTION USING THE CLASS ACTIVATION MAP: CASE STUDY ON A LANDSAT8 IMAGE

Authors:

P Charuchinda¹, T Kasetkasem², I Kumazawa³, T Chanwimaluang⁴

Affiliation:

Faculty of Engineering Kasetsart University¹; Faculty of Engineering Kasetsart University²; Engineering, Tokyo Institute of Technology³; NECTEC⁴

E-mail:

pongporamat.c@ku.th¹, fengtsk@ku.ac.th², kumazawa.i.aa@m.titech.ac.jp³, Thitiporn.Chanwimaluang@nectec.or.th⁴

Abstract:

Traditionally, the land cover mapping process needs a ground data to be collected with high precision in both class labeling and spatial locations. To collect enough, high precise ground data require resources. As a result, we proposed an approach for building an image classification based on the class activation map (CAM) where the goal is not to identify the relationship between each pixel and a class label, but to identify whether each sub-images contain the class of interest or not. The output of the class activation map is the filter responds where pixels with high respond are likely to belong to the class of interest. We examined the performance on a LANDSAT 8 and found. The result of CAM showed that the proposed method achieves high accuracy in identifying whether a sub-image contains the class of interest or not. However, the precision in localizing the class is relatively moderate.

3.1 Food categories classification and Ingredients estimation using CNNs on Raspberry Pi 3

Authors:

Kanjanapan Sukvichai¹, Pruttapon Maolanon², Kittinon sawanyawat³, Warayut Muknumporn⁴

Affiliation:

Faculty of Engineering Kasetsart University¹; Faculty of Engineering Kasetsart University²; Faculty of Engineering Kasetsart University³; Faculty of Engineering Kasetsart University⁴

E-mail:

fengkp@ku.ac.th¹, pruttapon.m@ku.th², kittinon.s@ku.th³, warayut.m@ku.th⁴

Abstract:

Foods are important things to human lives, especially for elderly or diabetics. Tradition nutrition book is not the effective way for people to use and not cover all kind of foods. Most of the food nutrition in the book focused on Western dishes not Asian dishes. This research proposed the new way to categorized Thai fast food dishes, classified and localized the ingredients in each dish. Convolutional Neural Networks (CNNs) are used to achieve these tasks. MobileNet is used as food categorizer while You Only Look Once (YOLO) network works as the ingredients classifier and localizer. Then, ingredients in the pictures are cropped and passed through traditional image processing to calculate area and compared with real ingredient's dimension. Non-uniform shape ingredients are segmented, then, the nutrition of the dish can be calculated. Finally, the networks are transferred in to Raspberry Pi 3 platform to simulate limited resources and calculation power platform likes in a mobile phone. The networks in Raspberry Pi 3 produce good prediction accuracy but slow speed. PeachPy is introduced to speed up the network and it can run at 3.3 seconds per food image.

3.2 Indoor Room Identify and Mapping with Virtual based SLAM using Furnitures and Household Objects Relationship based on CNNs

Authors:

Pruttapon Maolanon¹, Kanjanapan Sukvichai², Nattapon Chayopitak³, Atsushi Takahashi⁴

Affiliation:

Faculty of Engineering Kasetsart University¹; Faculty of Engineering Kasetsart University²; National Electronics and Computer Technology Center National Science and Technology Development Agency³; Engineering, Tokyo Institute of Technology⁴

E-mail:

pruttapon.m@ku.th¹, fengkp@ku.ac.th², nattapon.chayopitak@nectec.or.th³, atsushi@ict.e.titech.ac.jp⁴

Abstract:

In order to make autonomous home service robot able to navigate through its environment, one requires a surrounding map and the robot's location. The Simultaneous Localization And Mapping or SLAM is the method that gathers information from an interested unknown environment, and creates a map and also predicts robot position at the same time. SLAM map is not enough for robot builder companies to sell their service robot because the robots cannot recognize the room in house without complex setup from the experts. The robot cannot be opened from its package and immediately ready to be used. In this research, one method to overcome this issue is proposed by enhancing SLAM algorithm with furniture and household object detection CNN network in order to increase robot ability. Robot will create maps by using a Laser Scan Matcher based on visual SLAM using 3D Orbbec camera. YOLO v3 tiny network is selected as the CNN detector for localize and classify household objects and furnitures in a house. Furnitures and objects images are used to train the CNN networks separately in desktop PC and are installed into the robot after training is finished. CNN detector is combined with SLAM algorithm via ROS. Now, SLAM map can be generated and room can be detected simultaneously in the unknown environment automatically. Finally, experiment is conducted to test the proposed method.

3.3 A Multi-Protocol IoT Gateway and WiFi/BLE Sensor Nodes for Smart Home and Building Automation: Design and Implementation

Authors:

Kanitkorn Khanchuea¹, Rawat Siripokarpirom²

Affiliation:

Faculty of Engineering¹, KMUTNB; Faculty of Engineering², KMUTNB³

E-mail:

kanitkon.k@gmail.com¹, rawat.s@eng.kmutnb.ac.th²

Abstract:

This paper presents the design and implementation of a multi-protocol gateway that relies on a multi-hop wireless network for smart home and building automation applications. This paper describes how to construct such a multi-hop treebased wireless network to coexist with ZigBee mesh networks, using low-cost commodity 2.4GHz WiFi/BLE SoC modules. The gateway supports both wired and wireless connectivities to other sensor nodes, including the RS485/Modbus fieldbus and wireless networks based on two different protocols, namely the ESP-Now peer-to-peer wireless protocol developed by Espressif Systems and the ZigBee protocol. In this work, the ESP-NOW protocol was utilized to construct the core low-power multi-hop wireless network, whereas the ZigBee standard was used to build subnetworks of sensor nodes. A single-board computer (SBC), running an embedded Linux operating system, was chosen as a platform for implementing the proposed IoT gateway which utilized the MQTT protocol for message delivery. Field experiments were conducted to evaluate the performance of the ESP-Now multi-hop wireless network, comprised of up to 5 hops. To illustrate the functionality of the proposed gateway, a use case was presented, in which a building automation system prototype was developed for control and management of air-conditioners and AC power meter units.

3.4 Simplified Stream Discharge Estimation for Hydrological Application based on NB-IoT Deployment

Authors:

Siraporn Sakphrom¹, Suratsavadee K. Korkua²

Affiliation:

School of Engineering and Resources Walailak University¹; School of Engineering and Resources Walailak University²

E-mail:

siraporn.sa@wu.ac.th¹, ksuratsa@wu.ac.th²

Abstract:

In order to support and provide more accurate information which is needed to better operate and manage in hydrological applications, this paper proposes the simplified estimation of the stream discharge based on width, depth and water flowing rate measurements. In this paper, the NB-IoT deployment composed of width sensor, depth sensor and water flow sensor is designed and implemented for water resource management such as stream, canal, river, etc. The proposed hydrological WSN consists of two main parts: 1) a remote control via mobile application and 2) a small boat built-in all sensing devices. As the focus of this paper, the hardware selections are discussed in detail. Based on the Arduino UNO microcontroller platform, the system can collect data and send out all measured data through Bluetooth communication. Moreover, it is controlled by features of the localization and then can represent its positioning with the Google mapping application via mobile device. Experimental results of the simplified stream discharge estimation verified that the proposed NB-IoT system can accurately monitor the width and depth parameters and also estimate the stream discharge properly.

Session 4 : Short papers

Date:Time March 27, 2019 (Wednesday) : 9:00-10:00

Room : Nontri 3

4.1 Short Term Prediction of Sun Coverage Using Optical Flow with CNN

Authors:

Thanonchai Leelaruji¹, Nithiphat Teerakawanich²

Affiliation:

Faculty of Engineering Kasetsart University¹; Faculty of Engineering Kasetsart University²

E-mail:

thanonchai.l@ku.th, fengnpte@ku.ac.th

Abstract:

Solar irradiance fluctuation forecast is a big challenge in PV power generation. This paper presents a technique using Optical flow with CNN for raising trigger events in advance before the sun cover happens. The result shows an accuracy around 66.67%. This trigger can correctly predict from 8 out of 11 events. The proposed system can be further improved by collecting more images with fluctuation events.

4.2 ON THE USE OF MACHINE LEARNING FOR CROP PLANNING

Authors:

T Mhudechuay¹, T Kasetkasem², W Attavanich³, I Kumazawa⁴, T Chanwimaluang⁵

Affiliation:

Faculty of Engineering Kasetsart University¹; Faculty of Economics Kasetsart University²; Engineering, Tokyo Institute of Technology³; NECTEC⁴

E-mail:

thotsawut.mh@ku.th¹, fengtsk@ku.ac.th², witsanu.a@ku.ac.th³, kumazawa.i.aa@m.titech.ac.jp⁴

Thitiporn.Chanwimaluang@nectec.co.th⁵

Abstract:

This paper represents the use of machine learning in agriculture planning to achieve the best action for the rice farmers. We chose the deep Q-learning, a type of reinforcement learning. In our work, we simulated different rice cultivation dates and then used the decision tree with Ada boosting with weekly averaged humidity, maximum and minimum temperatures, and total rains to predict the yield. Our experimental results showed that the Reinforcement Learning can provide the optimum cultivation dates for rice farmers.

4.3 PIPELINE SEGMENTATION USING LEVEL-SET METHOD

Authors:

A Leangaramkul¹, T Kasetkasem², Y Tipsuwan³, T Isshiki⁴, T Chanwimaluang⁵

Affiliation:

Faculty of Engineering Kasetsart University¹; Faculty of Engineering Kasetsart University²; ; Faculty of Engineering Kasetsart University³; Engineering, Tokyo Institute of Technology⁴; NECTEC⁵

E-mail:

apinya.lea@ku.th¹, fengtsk@ku.ac.th², yyt@ku.ac.th³,

issshiki@ict.e.titech.ac.jp⁴, Thitiporn.Chanwimaluang@nectec.or.th⁵

Abstract:

Autonomous underwater vehicles (AUVs), unmanned underwater vehicle, is cheaper to operate than remotely operated vehicles (ROVs) since an AUV does not require a trained human operator to control. As a result, in this paper, we proposed the pipeline tracking algorithm using sequences of the forward looking sonar images installed on a pre-program AUV. The forward-looking sonar (FLS) is more suitable to be used in the sub-surface environment than an optical camera due to the limited visibility and floating particles in the sub-sea surface environment. In our work we first employed the speckle noise reduction to FLS images. Then, we applied the level-set method (LSM) to extract a pipeline boundary in each frame. Lastly, the post-processing step is designed to link the unconnected segments together to form a complete pipeline. Our algorithm can perform the segmentation and tracking with more than 89% accuracy.



ขอบคุณทุกพลังความรัก
ที่ร่วมสร้างกันมาตลอด 40 ปี และตลอดไป



สานพลังสู่ความยั่งยืน



ฟังเพลง **ขอบคุณความรัก**
โดย ทอม อิศรา